

Package: mrfaocore (via r-universe)

January 12, 2025

Type Package

Title madrat-based package providing core FAO-related preprocessing functions

Version 1.1.1

Date 2024-10-14

Description This madrat-based package provides core FAO-related preprocessing functions.

License LGPL-3

URL <https://github.com/pik-piam/mrfaocore>

Depends madrat (>= 2.20.9), magclass (>= 3.17), mrdrivers (>= 1.0.0), mstools (>= 0.6.0), GDPuc (>= 1.3.0), R (>= 4.1.0)

Imports data.table, dplyr, magpiesets (>= 0.44.2), tidyr, withr

Suggests testthat, XML

Encoding UTF-8

RoxygenNote 7.3.2

Config/pak/sysreqs libglpk-dev make libicu-dev libxml2-dev libx11-dev

Repository <https://pik-piam.r-universe.dev>

RemoteUrl <https://github.com/pik-piam/mrfaocore>

RemoteRef HEAD

RemoteSha 6401aa0fb854c1b860d6f8a55522ea4602ebb73d

Contents

calcAttributes	2
calcFAOBilateralTrade	3
calcFAOharmonized	4
calcFAOLand	4
calcFAOmassbalance_pre	5
calcFAOTradePrices	6
calcFertilizerPricesFAO	6

calcFertilizerUseFAO	7
convertFAO	8
convertFAOTradeMatrix	9
convertFAO_FRA2015	9
convertFAO_online	10
convertFRA2020	11
correctFAO	12
correctFAO_online	13
downloadFAO_online	13
readFAO	14
readFAOTradeMatrix	15
readFAO_FRA2015	16
readFAO_online	17
readFAO_WHO_UNU1985	18
readFishstatJ_FAO	19
readFRA2020	20
readProductAttributes	20
toolExtrapolateFodder	21
toolFAOcombine	22
Index	23

calcAttributes

calcAttributes

Description

provides attributes of different products

Usage

```
calcAttributes(subtype = "Products")
```

Arguments

subtype subtype of readProductAttributes function.

Value

List of magpie objects with results on global level, empty weight, unit and description.

Author(s)

Benjamin Leon Bodirsky

See Also

[readProductAttributes()]

Examples

```
## Not run:  
calcOutput("Attributes")  
  
## End(Not run)
```

calcFAOBilateralTrade *calcFAOBilateralTrade*

Description

Calculates bilateral trade values based on FAO trade matrix

Usage

```
calcFAOBilateralTrade(  
  output = "value",  
  products = "kcr",  
  prodAgg = TRUE,  
  fiveYear = TRUE  
)
```

Arguments

output	"value", "qty", or "price"
products	"kcr", "kli", or "kothers"
prodAgg	binary to keep FAO product level or magpie
fiveYear	only 5 year steps due to memory load

Value

List of magpie objects with results on bilateral country level, weight on bilateral country level, unit and description.

Author(s)

David M Chen

Examples

```
## Not run:  
calcOutput("FAOBilateralTrade", output = "qty", products = "kcr")  
  
## End(Not run)
```

calcFAOharmonized *calcFAOharmonized*

Description

Calculate harmonized FAO Commodity Balance and Food Supply data based on CB, only harvested areas are taken from ProdSTAT. This functions adds the CBCrop, CBLive, FSCrop and FSLive data together.

Usage

```
calcFAOharmonized()
```

Value

FAO harmonized data, weight as NULL, and a description as as a list of MAgPIE objects

Author(s)

Ulrich Kreidenweis, David Chen, Kristine Karstens

Examples

```
## Not run:  
a <- calcOutput("FAOharmonized")  
  
## End(Not run)
```

calcFAOLand *calcFAOLand*

Description

Returns physical land areas from FAOSTAT

Usage

```
calcFAOLand()
```

Value

land areas from FAOSTAT and weight

Author(s)

Ulrich Kreidenweis, Kristine Karstens

calcFAOmassbalance_pre
calcFAOmassbalance_pre

Description

Calculates an extended version of the Food Balance Sheets. Makes explicit the conversion processes that convert one type of product into another. Includes processes like milling, distilling, extraction etc. Adds certain byproducts like distillers grains or ethanol.

Usage

```
calcFAOmassbalance_pre(years = NULL)
```

Arguments

years years to be estimated, if null, then all years in FAOharmonized are returned

Value

List of magpie objects with results on country level, weight on country level, unit and description. This is an intermediary result, which is used e.g. for estimating the feed baskets. For most uses, it is more appropriate to use the FAOmasbalance instead of the FAOmassbalance_pre.

Author(s)

Benjamin Leon Bodirsky

See Also

[calcFAOmassbalance()]

Examples

```
## Not run:  
calcOutput("FAOmassbalance_pre")  
  
## End(Not run)
```

```
calcFAOTradePrices    calcFAOTradePrices
```

Description

calculates USD per kg of FAOSTAT Trade data for import and export prices

Usage

```
calcFAOTradePrices(aggregation = "k")
```

Arguments

aggregation "none", "k", "fbs" or "springmann" for the last uses Marco Springmann's custom product mapping

Value

List of magpie objects with results on country level, weight on country level, unit and description.

Author(s)

David M Chen

Examples

```
## Not run:
calcOutput("calcFAOTradePrices")

## End(Not run)
```

```
calcFertilizerPricesFAO
      calcFertilizerPricesFAO
```

Description

calculates dataset of fertilizer prices in US\$MER17/tonne (either referring to the amount of fertilizer product, or to the amount of nutrients within the fertilizer) based on FAO data

Usage

```
calcFertilizerPricesFAO(subtype = "N", by = "nutrient")
```

Arguments

subtype "N" for fertilizer containing nitrogen, "P" for fertilizer containing phosphorus
 by "nutrient" if referring to price per amount of nutrients (N or P) within the fertilizer products, or "product" if referring to price per amount of fertilizer product

Value

List of magpie objects with results on country level, weight on country level, unit and description.

Author(s)

Debbora Leip

Examples

```
## Not run:
calcOutput("FertilizerPricesFAO", subtype = "N", by = "nutrient")

## End(Not run)
```

calcFertilizerUseFAO *calcFertilizerUseFAO*

Description

calculates dataset of fertilizer use in tonnes (either referring to the amount of fertilizer products used, or to the amount of nutrients within the fertilizer used) based on FAO data

Usage

```
calcFertilizerUseFAO(subtype = "N", by = "nutrient")
```

Arguments

subtype "N" for fertilizer containing nitrogen, "P" for fertilizer containing phosphorus (note that there is an overlap between those categories, as some fertilizers include both nutrients)
 by "nutrient" if referring to amount of nutrients (N or P) in total used fertilizer, or "product" if referring to total amount of fertilizer used

Value

List of magpie objects with results on country level, weight on country level, unit and description.

Author(s)

Debbora Leip

Examples

```
## Not run:  
calcOutput("FertilizerUseFAO", subtype = "N", by = "nutrient")  
  
## End(Not run)
```

convertFAO

Convert FAO data

Description

Converts FAO data to fit to the common country list and removes or converts relative values where possible. Yields (Hg/ha) are for instance removed since they can later easily be calculated from production and area but might be problematic in the spatial aggregation. Per capita demand values are transformed into absolute values using population estimates from the calcPopulationPast function.

Usage

```
convertFAO(x, subtype)
```

Arguments

x	MAGPIE object containing original values
subtype	The FAO file type, e.g.: CBCrop

Details

Update 23-Jan-2017 - Added FAO Forestry production and trade data (Abhi)

Value

Data as MAGPIE object with common country list

Author(s)

Ulrich Kreidenweis, Abhijeet Mishra, Mishko Stevanovic

See Also

[readFAO()], [readSource()],

Examples

```
## Not run:  
a <- readSource("FAO", "Crop", convert = TRUE)  
  
## End(Not run)
```

 convertFAOTradeMatrix *Convert FAOTradeMatrix*

Description

Convert FAOSTAT detailed trade matrix. FAOSTAT does not balance or harmonize the import/export side reporting. Furthermore, in terms of trade value, exporters are "usually" reporting FOB, while importers report CIF. Difference in value, given identical qty, is thus the transport margin mixed with unharmonized reporting.

Usage

```
convertFAOTradeMatrix(x, subtype)
```

Arguments

x	output from read function
subtype	subsets of the detailed trade matrix to read in. Very large csv needs to be read in chunks separated by export/import quantities and values, as well as kcr, kli and kothers (not in kcr nor kli) Options are all combinations of c("import_value", "import_qty", "export_value", "export_quantity") X c("kcr", "kli", "kothers") import is import side reporting while export is export-side reporting

Value

FAO data as MAgPIE object in Mt or US\$ 2017

Author(s)

David C

See Also

[readSource()]

 convertFAO_FRA2015 *Convert FRA 2015 data Update dd-Jmm-jjjj - Please add comment if changes made here (Abhi)*

Description

Convert FRA 2015 data Update dd-Jmm-jjjj - Please add comment if changes made here (Abhi)

Usage

```
convertFAO_FRA2015(x, subtype)
```

Arguments

x MAgPIE object containing original values
 subtype The FAO FRA 2015 file type, e.g.: fac, production, biodiversity or anndat.

Value

Data as MAgPIE object with common country list

Author(s)

Abhijeet Mishra

See Also

[readSource()],

Examples

```
## Not run:
a <- readSource("FRA2015", "production", convert = TRUE)

## End(Not run)
```

convertFAO_online *Convert FAO data*

Description

Converts FAO data to fit to the common country list and removes or converts relative values where possible. Yields (Hg/ha) are for instance removed since they can later easily be calculated from production and area but might be problematic in the spatial aggregation. Per capita demand values are transformed into absolute values using population estimates from the calcPopulationPast function.

Usage

```
convertFAO_online(x, subtype)
```

Arguments

x MAgPIE object containing original values
 subtype The FAO file type, e.g.: CBCrop

Details

Update 23-Jan-2017 - Added FAO Forestry production and trade data (Abhi)

Value

Data as MAgPIE object with common country list

Author(s)

Ulrich Kreidenweis, Abhijeet Mishra, Mishko Stevanovic, David Klein, Daivd Chen, Edna Molina Bacca

See Also

[readFAO()], [readSource()],

Examples

```
## Not run:  
a <- readSource("FAO_online", "Crop", convert = TRUE)  
  
## End(Not run)
```

convertFRA2020

Convert FRA 2020 data

Description

Convert FRA 2020 data

Usage

```
convertFRA2020(x, subtype)
```

Arguments

x MAgPIE object containing original values
subtype The FAO FRA 2020 subtype.

Value

Data as MAgPIE object with common country list

Author(s)

Abhijeet Mishra

See Also

[readSource()],

Examples

```
## Not run:  
a <- readSource("FRA2020", "growing_stock", convert = TRUE)  
  
## End(Not run)
```

correctFAO

correctFAO

Description

Corrects FAO data for known mismatches or insufficiencies

Usage

```
correctFAO(x, subtype)
```

Arguments

x MAgPIE object containing original values
subtype The FAO file type, e.g.: CBCrop

Value

Data as MAgPIE object

Author(s)

Kristine Karstens

See Also

[readFAO()], [readSource()],

Examples

```
## Not run:  
a <- readSource("FAO", "Crop", convert = TRUE)  
  
## End(Not run)
```

correctFAO_online	<i>correctFAO_online</i>
-------------------	--------------------------

Description

Corrects FAO data for known mismatches or insufficiencies

Usage

```
correctFAO_online(x, subtype)
```

Arguments

x	MAGPIE object containing original values
subtype	The FAO file type, e.g.: CBCrop

Value

Data as MAGPIE object

Author(s)

Kristine Karstens

See Also

[readFAO()], [readSource()],

Examples

```
## Not run:  
a <- readSource("FAO_online", "Crop", convert = TRUE)  
  
## End(Not run)
```

downloadFAO_online	<i>Download FAO data</i>
--------------------	--------------------------

Description

Downloads the latest data and meta data form the FAOStat website.

Usage

```
downloadFAO_online(subtype)
```

Arguments

subtype Type of FAO data that should be read.

readFAO

Read FAO

Description

Read in FAO data that has been bulk downloaded from the FAOSTAT website. Files with exception of fodder.csv are aquired from: http://faostat.fao.org/Portals/_Faostat/Downloads/zip_files/

Usage

readFAO(subtype)

Arguments

subtype Type of FAO data that should be read. Available types are:

- ‘CBCrop’: Commodity Balance Crop (CommodityBalances_Crops_E_All_Data.zip)
- ‘CBLive’: Commodity Balance Livestock (CommodityBalances_LivestockFish_E_All_Data.zip)
- ‘Crop’: Production Crops ("Production_Crops_E_All_Data.zip")
- ‘CropProc’: Production Crops Processed ("Production_CropsProcessed_E_All_Data.zip")
- ‘Fbs’: Food Balance Sheet ("FoodBalanceSheets_E_All_Data.zip")
- ‘Fertilizer’: Fertilizer ("Resources_Fertilizers_E_All_Data.zip")
- ‘Fodder’: Fodder (data that has been manually downloaded from the FAOSTAT website as separate .xls files via a search for "forage" and "fodder" withing Production-Crops. These datasets have been added together to a "Fodder.csv" file)
- ‘FoodSecurity’: Food Security Data ("Food_Security_Data_E_All_Data.zip")
- ‘FSCrop’: Food Supply Crops ("FoodSupply_Crops_E_All_Data.zip")
- ‘FSLive’: Food Supply Livestock ("FoodSupply_LivestockFish_E_All_Data.zip")
- ‘Land’: Land ("Resources_Land_E_All_Data.zip")
- ‘LiveHead’: Production Live Animals ("Production_Livestock_E_All_Data.zip")
- ‘LivePrim’: Production Livestock Primary ("Production_LivestockPrimary_E_All_Data.zip")
- ‘LiveProc’: Production Livestock Processed ("Production_LivestockProcessed_E_All_Data.zip")
- ‘Pop’: Population ("Population_E_All_Data.zip")
- ‘ForestProdTrade’: Forestry Production and Trade ("Forestry_E_All_Data_(Normalized).zip")
- ‘PricesProducerAnnual’: Producer Prices - Annual ("Prices_E_All_Data.zip")
- ‘PricesProducerAnnualLCU’: Producer Prices - Annual in LCU ("Prices_E_All_Data.zip")
- ‘ValueOfProd’: Value of Agricultural Production ("Value_of_Production_E_All_Data.zip")

Details

Update 23-Jan-2017 - Added FAO Forestry production and trade data (Abhi)

Value

FAO data as MAGPIE object

Author(s)

Ulrich Kreidenweis, Abhijeet Mishra, Mishko Stevanovic

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FAO", "Crop")  
  
## End(Not run)
```

readFAOTradeMatrix *Read FAOTradeMatrix*

Description

Read in FAOSTAT detail trade matrix. FAOSTAT does not balance or harmonize the import/export side reporting. Furthermore, in terms of trade value, exporters are "usually" reporting FOB, while importers report CIF. Difference in value, given identical qty, is thus the transport margin and any unharmonized reporting combined.

Usage

```
readFAOTradeMatrix(subtype)
```

Arguments

subtype subsets of the detailed trade matrix to read in. Very large csv needs to be read in chunks separated by export/import quantities and values, as well as kcr, kli and kothers (not in kcr nor kli) Options are all combinations of c("import_value", "import_qty", "export_value", "export_quantity" X c("kcr", "kli", "kothers")) import is import side reporting while export is export-side reporting

Value

FAO data as MAGPIE object

Author(s)

David C

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FA0TradeMatrix", "import_value_kcr")  
  
## End(Not run)
```

readFAO_FRA2015

Read FAO_FRA2015

Description

Read-in an FRA data from 2015 (forest resource assessment)

Usage

```
readFAO_FRA2015(subtype)
```

Arguments

subtype data subtype. Either "production" or "fac" (forest area and characteristics) or "biodiversity" or "anndat" (Annual Data)

Value

magpie object of the FRA 2015 data

Author(s)

Abhijeet Mishra

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FAO_FRA2015", "production")  
  
## End(Not run)
```

readFAO_online	<i>Read FAO_online</i>
----------------	------------------------

Description

Read in FAO data that has been downloaded from the FAOSTAT website. Files with exception of fodder.csv are aquired according to downloadFAO.

Usage

```
readFAO_online(subtype)
```

Arguments

subtype

Type of FAO data that should be read. Available types are:

- ‘CBCrop’: Commodity Balance Crop (CommodityBalances_Crops_E_All_Data.zip)
- ‘CBLive’: Commodity Balance Livestock (CommodityBalances_LivestockFish_E_All_Data.zip)
- ‘Crop’: Production Crops ("Production_Crops_E_All_Data.zip")
- ‘CropProc’: Production Crops Processed ("Production_CropsProcessed_E_All_Data.zip")
- ‘Fbs’: Food Balance Sheet ("FoodBalanceSheets_E_All_Data.zip")
- ‘Fertilizer’: Fertilizer ("Resources_Fertilizers_E_All_Data.zip")
- ‘FertilizerProducts’: Fertilizer by product ("Inputs_FertilizersProduct_E_All_Data_(Normalized).zip")
- ‘FertilizerNutrients’: Fertilizer by nutrient ("Inputs_FertilizersNutrient_E_All_Data_(Normalized).zip")
- ‘Fodder’: Fodder (data that has been manually downloaded from the FAOSTAT website as seperate .xls files via a search for "forage" and "fodder" withing Production-Crops. These datasets have been added together to a "Fodder.csv" file)
- ‘FoodSecurity’: Food Security Data ("Food_Security_Data_E_All_Data.zip")
- ‘FSCrop’: Food Supply Crops ("FoodSupply_Crops_E_All_Data.zip")
- ‘FSLive’: Food Supply Livestock ("FoodSupply_LivestockFish_E_All_Data.zip")
- ‘Land’: Land ("Resources_Land_E_All_Data.zip")
- ‘LiveHead’: Production Live Animals ("Production_Livestock_E_All_Data.zip")
- ‘LivePrim’: Production Livestock Primary ("Production_LivestockPrimary_E_All_Data.zip")
- ‘LiveProc’: Production Livestock Processed ("Production_LivestockProcessed_E_All_Data.zip")
- ‘Pop’: Population ("Population_E_All_Data.zip")
- ‘ForestProdTrade’: Forestry Production and Trade ("Forestry_E_All_Data_(Normalized).zip")
- ‘PricesProducerAnnual’: Producer Prices - Annual ("Prices_E_All_Data.zip")
- ‘PricesProducerAnnualLCU’: Producer Prices - Annual in LCU ("Prices_E_All_Data.zip")
- ‘ValueOfProd’: Value of Agricultural Production ("Value_of_Production_E_All_Data.zip")
- ‘ValueShares’: Value shares by industry and primary factors
- ‘Trade’: Trade quantities and values

Details

Update 23-Jan-2017 - Added FAO Forestry production and trade data (Abhi)

Value

FAO data as MAgPIE object

Author(s)

Ulrich Kreidenweis, Abhijeet Mishra, Mishko Stevanovic, David Klein, Edna Molina Bacca

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FAO_online", "Crop")  
  
## End(Not run)
```

readFAO_WHO_UNU1985 *Read parameters of Schofield equations*

Description

Food and Agriculture Organization of the United Nations, World Health Organization, and United Nations University. 1985. "Energy and protein requirements." <http://www.who.int/iris/handle/10665/39527>.

Usage

```
readFAO_WHO_UNU1985()
```

Value

MAgPIE object

Author(s)

Benjamin Bodirsky

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("Schofield")  
  
## End(Not run)
```

readFishstatJ_FAO *readFishstatJ_FAO*

Description

Reads data of fisheries generated using the FishstatJ app of FAO. Read-in specifically, exports_value, exports_quantity, and/or overall production of fish/aquatic products.

Usage

```
readFishstatJ_FAO(subtype = "Production")
```

Arguments

subtype data subtype needed. Either "exportsValue", "exportsQuantity", or "Production"

Value

magpie object of either tonnes of liveweight or 1000 current USD

Author(s)

Edna J. Molina Bacca

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FishstatJ_FAO", "Production")  
a <- readSource("FishstatJ_FAO", "exportsQuantity")  
a <- readSource("FishstatJ_FAO", "exportsValue")  
  
## End(Not run)
```

readFRA2020

Read FRA2020

Description

Read-in an FRA (forest resource assessment) dataset from 2020.

Usage

```
readFRA2020(subtype)
```

Arguments

subtype data subtype. Available subtypes: forest_area, deforestation, growing_stock, biomass_stock, carbon_stock, management, disturbance, forest_fire

Value

Magpie object of the FRA 2020 data

Author(s)

Abhijeet Mishra

See Also

[readSource()]

Examples

```
## Not run:  
a <- readSource("FRA2020", "growing_stock")  
  
## End(Not run)
```

readProductAttributes *Read product attributes*

Description

Read-in a file containing the attributes of MAgPIE products. Currently Covers dry matter (DM), reactive nitrogen (Nr), Phosphorus (P), Generalizable Energy (GE) and wet matter (WM). Values are assembled from various literature sources, and the weighting and allocation is done in the spreadsheet crop_specifications_06_2011.ods and livestock_specifications_2012_06_14.ods in the svn folder /tools/Nutrients . Values standardized on DM.

Usage

```
readProductAttributes(subtype = "Products")
```

Arguments

subtype Available subtypes: "Products", MAgPIE products "AgResidues" Aboveground crop residues and "BgResidues" Belowground crop residues

Value

magpie object with the dimension crops and attributes

Author(s)

Benjamin Leon Bodrisky

See Also

[readSource()]

Examples

```
## Not run:
a <- readSource("ProductAttributes")

## End(Not run)
```

toolExtrapolateFodder *toolExtrapolateFodder*

Description

Extrapolate fodder data, based on two time steps (5-averages around this years)

Usage

```
toolExtrapolateFodder(x, exyears = c(2004, 2009), average = 5, endyear = 2015)
```

Arguments

x	input data
exyears	two years
average	the averaging_range in toolTimeInterpolate
endyear	year till when it should be extrapolated

Value

magpie object including extrapolated years

Author(s)

Kristine Karstens

`toolFAOcombine`*Combine FAO datasets*

Description

Allows to combine two similar FAO datasets with duplicates being removed. For instance combine Production:Crops and Production: Crops Processed to one magpie object

Usage

```
toolFAOcombine(..., combine = "Item")
```

Arguments

```
...          two magpie objects with FAO data
combine      "Item" to combine datasets that for instance both contain palm oil data
```

Value

MAGPIE object with data from both inputs but duplicates removed

Author(s)

Ulrich Kreidenweis

See Also`[readSource()]`**Examples**

```
## Not run:
a <- toolFAOcombine(Crop, CropPro, combine = "Item")

## End(Not run)
```

Index

[calcAttributes](#), 2
[calcFAOBilateralTrade](#), 3
[calcFAOharmonized](#), 4
[calcFAOLand](#), 4
[calcFAOmassbalance_pre](#), 5
[calcFAOTradePrices](#), 6
[calcFertilizerPricesFAO](#), 6
[calcFertilizerUseFAO](#), 7
[convertFAO](#), 8
[convertFAO_FRA2015](#), 9
[convertFAO_online](#), 10
[convertFAOTradeMatrix](#), 9
[convertFRA2020](#), 11
[correctFAO](#), 12
[correctFAO_online](#), 13

[downloadFAO_online](#), 13

[readFAO](#), 14
[readFAO_FRA2015](#), 16
[readFAO_online](#), 17
[readFAO_WHO_UNU1985](#), 18
[readFAOTradeMatrix](#), 15
[readFishstatJ_FAO](#), 19
[readFRA2020](#), 20
[readProductAttributes](#), 20

[toolExtrapolateFodder](#), 21
[toolFAOcombine](#), 22